

# FORWARD

## OS45 Horizontal Directional Drilling Rig

**LIANYUNGANG FORWARD HEAVY INDUSTRIAL MACHINERY CO., LTD.**  
**ADD: 99 #, NEW EAST ROAD, LIANYUNGANG ECONOMIC AND TECHNOLOGICAL**  
**DEVELOPMENT ZONE, LIANYUNGANG CITY, JIANGSU PROVINCE, CHINA, 222000**

**Tel: 0086 518 81089618**

**Fax: 0086 518 81599918**

**[Info@forward-drill.com](mailto:Info@forward-drill.com)**

**Printed: Jan, 2019**

**FORWARD**

# OS45 HDD rig



## Diesel engine

Model	CUMMINS 6CTA8.3-C260-II
Power	194 KW
Cylinders	6
Rotation	2 200 rpm
Cooling type	Water cooling
Fuel consumption	18-22 L/h

## Rotation

Gears			2
	Low Speed	Rotation Speed	60 rpm
		Maximum Spindle Torque	16 500 Nm
	High Speed	Rotation Speed	120 rpm
		Maximum Spindle Torque	8 000 Nm

## Thrust and pullback

Move Speed			2
	Low Speed	Thrust force	450 kN
		Pullback force	450 kN
	High Speed	Thrust force	225 kN
		Pullback force	225 kN

**FORWARD**

## Other parameters

Loading Rod System		+
Mast heating		+
Drilling angle		8-20°
Clamping system	Jaws clamping spindle torque	16 000 Nm
	Jaws reducing spindle torque	32 000 Nm
Mud pump	Maximum capacity	450 L/min
	Maximum pressure	8 MPa
Drill rob	Length	3 000 mm
	Rod lock	Φ 92
	Rod body	83
	Max bending	5 %








Auto-Rod-Feeding system

Mud Pump

7200mm

2450mm



7.534m

